

Worldwide Distribution www.HARDSCAPE.com • 1-888-513-6374

# TABLE OF CONTENTS

GRANITE	4
COBBLESTONES	8
PAVING STONES	10
GRANITE MESH	14
BASALT	20
COBBLESTONES	22
PAVING STONES	24
TILES	26
BASALTINA TILES	28
PORPHYRY	30
COBBLESTONES	34
TILES	36
MARBLE	38
PAVER STONES	40
BLUESTONE	42
PAVER STONES	44
LIMESTONE	46
SILVER GREY LIMESTONE	48

PORCELAIN	50
TILE PAVERS	52
SPECIALTY PRODUCTS	54
SPECIFICATIONS	58
APPLICATIONS	62

© 2016 Hardscape.com Products are subject to availability and may change without notice.

## **Actual colors may vary.**

To assure your total satisfaction, please request samples of the style and color you are interested in.

Please confirm before including in project specifications.

www.Hardscape.com Toll-Free: 1-888-513-6374 Fax: 561-998-0536

E-Mail: Info@Hardscape.com

Office Headquarters: South Florida 6401 E. Rogers Cir Ste #2

# ABOUT HARDSCAPE.com

Hardscape.com is the home of the Best Architectural and Landscaping Natural Stones in the U.S. and the Caribbean.

Stones are what bring your landscaping ideas and visions to life. More importantly, the quality and type of stones you use spell all the difference between a stunning and an uninspiring landscape.

As the leading Natural Stone paving dealer in the U.S. and the Caribbean, we carefully select our stones based on their beauty and durability. Our granite cobblestones, granite pavers, granite mesh pavers, basalt pavers, bluestone, silver grey limestone, porphyry pavers, marble pavers, and porcelain tile pavers will help turn your thoughts into expressions.

Whether you're building a hotel patio, a residential driveway, or a garden walkway, our unique stones make a great impression by adding value and long-lasting beauty.

For many years, Hardscape.com has been the one-stop shop for architects, designers, contractors, homeowners, and distributors for high quality Natural Stones. All of our Natural Stone products are precision engineered to withstand outdoor elements and all the wear and tear everyday use brings.



# GRANITE




## Custom sizes, colors, finishes and applications are available for all stones.

Our versatile range of Granite Paving stones are ideal for any commercial or residential application such as patios, driveways, walkways or pool decks. You will be able to create a unique feature with the use of any type of Granite Stone for the design options are endless.

What sets us apart from other Granite Paving Stone dealers is the fact that quality is our primary focus. That is why our Granite Paving Stones are engineered with precision to be able withstand the elements of the outdoors as well as regular wear and tear. This has made our stones the number one choice for architects, designers, contractors, homeowners, and distributors in the U.S. and the Caribbean.

# **COLOR OPTIONS**

# STANDARD COLOR OPTIONS Colors shown are flamed finished











Gold

Peach Blossom

Misty Brown

MORE OPTIONS AVAILABLE CALL 1-888-513-6374

## **CUSTOM COLOR OPTIONS**









**Butterfly Blue** 

**Desert Sand** 

**Ever Green** 





Salmon

**Forest Green** Jet Mist Red Desert

# **SURFACE FINISHES**

# SIDE FINISHES AND APPLICATIONS

## **Standard Surface Finishes Peach** Salt and Pepper Dark Grey **Misty Brown Black Granite Gold Granite Blossom** N/A Bush Hammered **Bush Hammered Bush Hammered** Bush Hammered Bush Hammered exterior exterior exterior exterior exterior Flamed Flamed Flamed Flamed Flamed Flamed exterior exterior exterior exterior exterior exterior N/A Chiseled Chiseled Chiseled Chiseled Chiseled exterior exterior exterior exterior exterior Polished Polished Polished Polished Polished Polished interior interior interior interior interior interior Coming Soon **Coming Soon** Natural Natural Natural Natural Natural exterior exterior exterior exterior exterior exterior

MORE OPTIONS AVAILABLE CALL 1-888-513-6374

## STANDARD SIDE FINISHES

All finishes can be Tumbled. Does not apply to all stones. Bull nose finish also available for pavers and tiles.









Cut

Natural/Split

Cut and Beveled

**Cut and Tumbled** 

MORE OPTIONS AVAILABLE
CALL 1-888-513-6374

## STANDARD APPLICATION FOR FINISHES

APPLICATIONS	BUSH- Hammered	FLAMED	CHISELED	POLISHED	NATURAL
PATIOS	YES	YES	YES	NO	NO
DRIVEWAYS	YES	YES	YES	NO	YES
POOL DECKS	YES	YES	YES	NO	NO
ROADS/ROADWAYS	YES	YES	YES	NO	YES
WALKWAYS	YES	YES	YES	NO	NO
STEPS	YES	YES	YES	NO	NO

# **GRANITE COBBLESTONES**

# MORE OPTIONS AVAILABLE CALL 1-888-513-6374


























GC-0101: Cobblestones grey surface, natural sides, and bottom saw cut - tumbled. GC-0102: Black granite cobblestones surface and sides natural - tumbled. GC-0103: Black granite cobblestones surface and natural sides cut. GC-0104: Dark grey cobblestones all natural. GC-0105: White surface cobblestones natural sides cut. GC-0106: Grey cobblestones surface and sides natural-tumbled. GC-0107: Dark grey granite cobblestones in prouduction. GC-0108: Green cobblestones. GC-0109: Multicolor cobblestones surface and natural sides cut. GC-0110: Salt and pepper cobblestones surface and sides natural - tumbled. GC-0111: Yellow cobblestones all natural. GC-0112: Red granite cobblestones all natural. GC-0113: Yellow cobblestones all natural - tumbled.

# STANDARD OPTIONS


## STANDARD SIZES AND THICKNESS

Listed below are the standard and most popular sizes and thicknesses. More sizes and thicknesses are available upon request.

SIZES	THICKNESS
4 X 4"	2"
5 X 9"	3"
	/"



# **GRANITE PAVING STONES**



GP-0201: Gold french pattern granite - top flamed- sides cut - tumbled. GP-0202: 4x8 granite pavers. GP-0203: 6x12 Misty brown top flamed - tumbled. GP-0204: 12x24 Dark grey granite top flamed - sides cut. GP-0205: 8x8 Dark grey top flamed- sides cut - tumbled. GP-0206: 4x8 Dark grey top flamed- sides cut - tumbled. GP-0207: 8x8 Gold granite top flamed - sides natural - tumbled. GP-0208: 12x12 Gold granite top flamed - sides cut. GP-0209: Gold granite paver tile - top flamed - sides cut. GP-0210: Gold granite paver - top natural - sides cut. GP-0211: 4x8 Dark grey - top flamed - tumbled. GP-0212: 6x9 Dark grey - top flamed - tumbled. GP-0213: 4x8 Gold granite - top flamed - sides cut - tumbled.

GP-0214: French patter salt & pepper granite - top flamed - sides cut. GP-0215: 6x6 Dark grey granite paver - top flamed - tumbled. GP-0216: Green granite - top flamed - sides cut. GP-0217: Misty brown paver tile - top flamed - sides cut. GP-0218: Misty brown - top flamed. GP-0219: Misty brown - top natural. GP-0220: 16x16 Multi-color granite - top flamed - sides cut. GP-0221: 6x12 Misty brown - top flamed - beveled edge. GP-0222: 6x12 Peach blossom - top flamed - beveled edge. GP-0223: 6x12 Peach blossom - top flamed - sides cut. GP-0224: 8x8 Peach blossom paver - top flamed. GP-0225: 12x12 Peach blossom paver tile. GP-0226: 12x12 Peach blossom granite top flamed - sides cut.

GP-0214

GP-0218

GP-0222

# **GRANITE PAVING STONES cont.**























GP-0227: 6x6 Salt and pepper granite - top flamed - sides cut and beveled GP-0228: 12x12 Peach blossom granite paver tile - top flamed - sides cut. GP-0229: 12x24 Peach blossom - top flamed. GP-0230: 4x8 Salt and pepper - top flamed - sides cut - tumbled. GP-0231: 6x12 Salt and pepper - top flamed - sides cut - tumbled. GP-0232: 24x24 Salt and pepper - top flamed - sides cut. GP-0233: Salt and pepper granite - top bush hammered - beveled edge. GP-0234: 24x36 Salt and pepper - top flamed - sides cut. GP-0235: 6x12 Salt and pepper - top bush hammered - sides natural. GP-0236: Salt and pepper - top flamed - sides cut - tumbled. GP-0237: 12x24 White granite - top flamed - sides cut and beveled.

# STANDARD OPTIONS

# STANDARD SIZES AND THICKNESS

Listed below are the standard and most popular sizes and thicknesses. More sizes and thicknesses are available upon request.

SIZES
4 X 8"
8 X 8"
8 X 16"
12 X 12"
16 X 16"
16 X 24"
24 X 24"

THICKNESS	
3/4"	
1"	
1-1/8"	
1-1/2"	
2"	
2-3/8"	

## STANDARD APPLICATIONS

Granite can be used for a variety of applications, including roads/ roadways, driveways, pool decks, steps, walkways, and more.

The type of finish will determine if it

can be used for interior or exterior purposes.

At Hardscape.com, we help you make the right choice for your next project.



# **GRANITE MESH PAVER STONES**



GM-0301: Mesh granite small fan pattern. GM-0302: Black granite - top natural -sides cut. GM-0303: Gold granite cobblestone - random sizes. GM-0304: 6x6 Dark grey granite. GM-0305: 8x8 Dark grey granite broken line pattern. GM-0306: Gold, salt and pepper and redstar color granite circle insert. GM-0307: Granite cobblestone - 3 piece random pattern. GM-0308: Granite cobblestone - 3 piece random pattern. GM-0309: Dark grey crazy pattern. GM-0310: Dark grey with gold border granite fan pattern. GM-0311: Gold with dark grey borders granite fan pattern. GM-0312: Salt and pepper with dark grey border granite fan pattern. GM-0313: Salt and pepper with gold border granite fan pattern.

GM-0314: Redstar and dark grey borders granite fan pattern. GM-0315: Dark grey granite fan pattern. GM-0316: Dark grey and salt and pepper border granite fan pattern. GM-0317: Dark grey granite fan pattern. GM-0318: Gold granite fan pattern. GM-0319: Red granite fan pattern. GM-0320: Redstar and dark grey borders granite fan pattern. GM-0321: Black and white porphyry border granite fan pattern. GM-0322: Gold and redstar borders granite fan pattern. GM-0323: Gold-redstar and salt and pepper colors granite fan pattern. GM-0324: Salt and pepper and redstar border granite fan pattern. GM-0325: Salt and pepper and black border granite fan pattern. GM-0326: Salt and pepper and redstar border granite fan pattern.

# **GRANITE MESH PAVER STONES**



GM-0327: Red and dark grey granite large fan pattern. GM-0328: Salt and pepper and gold borders granite fan pattern. GM-0329: Dark grey and redstar borders granite fan pattern. GM-0330: Gold color granite fan pattern. GM-0331: Gold with green border granite fan pattern. GM-0332: Gold granite fan pattern. GM-0333: Misty brown and redstar border granite fan pattern. GM-0334: Salt and pepper and redstar border granite fan pattern. GM-0335: Salt and pepper and black border granite fan pattern. GM-0336: Black granite large peacock pattern - flamed. GM-0337: Gold granite small peacock pattern. GM-0338: Porphyry granite fan pattern. GM-0339: 6x6 Black mesh granite - sides cut - natural.

GM-0340: Salt and pepper and dark grey mesh granite large peacock pattern. GM-0341: 4x4 Gold and redstar mesh granite straight pattern. GM-0342: Misty brown and peach blossom mesh granite circle fan pattern. GM-0343: Misty brown and peach blossom mesh granite circle pattern. GM-0344: Star pattern mesh granite compass. GM-0345: Dark grey, gold and salt and pepper mesh granite crazy pattern. GM-0346: Dark grey mesh granite french pattern. GM-0347: Gold mesh granite french pattern. GM-0348: Salt and pepper mesh granite french pattern. GM-0349: Sand color mesh granite french pattern. GM-0350: Salt and pepper mesh granite large fan pattern. GM-0351: Mesh granite paver designs. GM-0352: Redstar and green rose multicolor mesh granite porphyry random brokenline pattern.

GM-0340

GM-0344

GM-0348

GM-0352

# **GRANITE MESH PAVER STONES**



GM-0353













GM-0353: Salt and pepper and black mesh granite square circle pattern. GM-0354: Dark grey mesh granite random broken line pattern. GM-0355: Dark grey mesh granite random brokenline pattern. GM-0356: Dark grey mesh granite random brokenline pattern - flamed top - tumbled. GM-0357: 6x6 Dark grey mesh granite straight. GM-0358: Salt and pepper mesh granite wave pattern. GM-0359: 6x6 wWhite porphyry broken line pattern.

# STANDARD OPTIONS

## STANDARD PATTERNS AND THICKNESS

Listed below are the standard and most popular patterns and thicknesses. More patterns and thicknesses are available upon request.

PATTERNS	THICKN
FAN PATTERNS	3/4"
RANDOM PATTERNS	1"
BROKEN LINE PATTERNS	1-1/8
HERRING BONE PATTERNS	1-1/2
WAVE PATTERN	2"
CUSTOM PATTERNS AVAILABLE	2-3/8



# **BASALT**



Custom sizes, colors, finishes and applications are available for all stones.

For any project, large or small, Hardscape.com can provide Basalt paving stones, cobblestones, and tiles. Hardscape.com has enough Basalt pavers to answer the demand of your project. With a variety of options, sizes, dimensions, thicknesses and applications, we supply to contractors, builders, architects and even homeowners in the U.S. and Caribbean.

Contact us for any questions regarding the following types of Basalt as well as more options that are available for direct ordering. As the expert and supplier of natural stones, Hardscape.com can help you choose the right stone for your next project.

The following options are considered standards. For custom or non-standard orders, please contact us for our custom selections.

# SURFACE AND SIDE FINISHES

## STANDARD SURFACE FINISHES







Flamed

Natural

Honed







Brushed and Flamed

Polished

Honed and Flamed

MORE OPTIONS AVAILABLE
CALL 1-888-513-6374

## STANDARD SIDE FINISHES

All finishes can be Tumbled. Does not apply to all stones. Bull nose finish also available for pavers and tiles.







Cut


Natural

# **BASALT COBBLESTONES**















BC-0401: Basalt cobblestones natural top and sides. BC-0402: Basalt cobblestones sides cut, top polished. BC-0403: Basalt cobblestones top and sides natural. BC-0404: Basalt cobblestones top natural, sides cut. BC-0405: Basalt cobblestones top natural, sides cut and tumbled. BC-0406: Basalt cobblestones top natural, sides cut. BC-0407: Basalt cobblestones top natural, sides cut.

# STANDARD OPTIONS


## STANDARD SIZES AND THICKNESS

Listed below are the standard and most popular sizes and thicknesses. More sizes and thicknesses are available upon request.

SIZES
4 X 4"
5 X 9"

THICKNESS
2"
3"
4"

MORE OPTIONS AVAILABLE
CALL 1-888-513-6374



# **BASALT PAVING STONES**

























BP-0501: Basalt Paver all natural. BP-0502: Basalt paver top flamed, sides cut. BP-0503: Basalt paver top flamed, sides natural. BP-0504: Basalt paver top flamed, sides cut and tumbled. BP-0505: Basalt paver top flamed, sides cut and tumbled. BP-0506: Basalt paver top flamed, sides cut. BP-0507: Basalt paver top flamed, sides cut and tumbled. BP-0508: Basalt paver top flamed, sides cut. BP-0509: Basalt paver top flamed, sides cut. BP-0510: Basalt paver natural top, sides cut and tumbled. BP-0511: Basalt paver top natural, sides cut and tumbled.

# STANDARD OPTIONS

## STANDARD SIZES AND THICKNESS


Listed below are the standard and most popular sizes and thicknesses. More sizes and thicknesses are available upon request.

SIZES
4 X 8"
8 X 8"
8 X 16"
12 X 12"
16 X 16"
16 X 24"
24 X 24"

THICKNESS	
3/4"	
1"	
1-1/8"	
1-1/2"	
2"	
2-3/8"	



# **BASALT TILES**













## BT-0601: Basalt tile honed. BT-0602: Basalt tile polished. BT-0603: Basalt tile brushed and flamed. BT-0604: Basalt tile flamed. BT-0605: Basalt tile honed and flamed. BT-0606: Basalt tile French Pattern.


# STANDARD OPTIONS

## STANDARD SIZES AND THICKNESS

Listed below are the standard and most popular sizes and thicknesses. More sizes and thicknesses are available upon request.

SIZES
4 X 8"
8 X 8"
8 X 16"
12 X 12"
16 X 16"
16 X 24"
24 X 24"

THICKNESS
3/4"
1"
1-1/8"
1-1/2"
2"
2-3/8"



# **BASALTINA TILES**









# STANDARD OPTIONS


## STANDARD SIZES AND THICKNESS

Listed below are the standard and most popular sizes and thicknesses. More sizes and thicknesses are available upon request.

SIZES
4 X 8"
8 X 8"
8 X 16"
12 X 12"
16 X 16"
16 X 24"
24 X 24"

THICKNESS
3/4"
1"
1-1/8"
1-1/2"
2"
2-3/8"

## STANDARD APPLICATIONS



BS-0701: Basaltina tile grey color. BS-0702: Basaltina tile honed. BS-0703: Basaltina tile dark grey color. BS-0704: Basaltina tile chiseled.

# **PORPHYRY**

## Custom sizes, colors, finishes and applications are available for all stones.

Hardscape.com is dedicated to providing you with high quality Porphyry paving and natural stones for your Hardscape project. This is why we've taken the time to find and acquire the best Porphyry and natural stone products available in the industry.

Hardscape.com's Porphyry Pavers are available in a variety of cuts and sizes. With all these shapes available to you, it's easy to achieve patterns that create strong visual impact, such as fans, arcs, parallel rows and other merging patterns. Available to be used in exterior applications such as pool decks, driveways, walkways/sidewalks, curbs and more.

# **COLOR OPTIONS**

## STANDARD COLOR OPTIONS

Colors shown are flamed finished



Green Rose





White Rose



**Brown Star** 



Purple Star



Red Star



Multi-color

**MORE OPTIONS AVAILABLE** CALL 1-888-513-6374

# SURFACE FINISHES

# SIDE FINISHES AND APPLICATIONS

## STANDARD SIDE FINISHES

All finishes can be Tumbled. Does not apply to all stones. Bull nose finish also available for pavers and tiles.





Cut

Natural/Split

## STANDARD SURFACE FINISHES






Flamed

Natural

MORE OPTIONS AVAILABLE
CALL 1-888-513-6374

## STANDARD APPLICATION FOR FINISHES

APPLICATIONS	FLAMED	NATURAL
PATIOS	YES	NO
DRIVEWAYS	YES	YES
POOL DECKS	YES	NO
ROADS/ROADWAYS	YES	YES
WALKWAYS	YES	NO
STEPS	YES	NO



# PORPHYRY COBBLESTONE















PC-0801: Porphyry cobblestone white top, natural sides cut. PC-0802: Porphyry cobblestone green rose. PC-0803: Porphyry cobblestone purple star natural top, sides cut. PC-0804: Porphyry cobblestone red star top natural, sides cut. PC-0805: Porphyry cobblestone greywood. PC-0806: Porphyry cobblestone red rose top natural, sides cut. PC-0807: Porphyry cobblestone redwood.

# STANDARD OPTIONS


## STANDARD SIZES AND THICKNESS

Listed below are the standard and most popular sizes and thicknesses. More sizes and thicknesses are available upon request.

4 X 4" 5 X 9"
5 X 9"

THICKNESS
2"
3"
4"

MORE OPTIONS AVAILABLE CALL 1-888-513-6374




# **PORPHYRY TILES**

# MORE OPTIONS AVAILABLE CALL 1-888-513-6374














PT-0901: Porphyry tile grey and multi-color. PT-0902: Porphyry tile multi-color. PT-0903: Porphyry tile multi-color, random sizes, top flamed. PT-0904: Porphyry tile red rose top flamed, sides natural. PT-0905: Porphyry tile brown top flamed, sides natural. PT-0906: Porphyry tile green star top flamed, sides natural. PT-0907: Porphyry tile red star top flamed, sides natural.

# STANDARD OPTIONS

## STANDARD SIZES AND THICKNESS

Listed below are the standard and most popular sizes and thicknesses. More sizes and thicknesses are available upon request.

SIZES	
4 X 8"	
8 X 8"	
8 X 16"	
12 X 12"	
16 X 16"	
16 X 24"	
24 X 24"	

THICKNESS
3/4"
1"
1-1/8"
1-1/2"
2"
2-3/8"

## STANDARD APPLICATIONS

Porphyry can be used for a variety of applications, including roads/ roadways, driveways, pool decks, steps, walkways, and more.

The type of finish will determine if it can be used for interior or exterior purposes.

At Hardscape.com, we help you make the right choice for your next project.

# **MARBLE**



## Custom sizes, colors, finishes and applications are available for all stones.

Now available to be used in exterior applications, Marble is quickly becoming a product of choice for architects, homeowners and designers alike. Available in a number of shapes, sizes, designs, and even color tones, this natural stone will add beauty and sophistication to your project.

Hardscape.com offers an exclusive line of Marble Pavers suited for driveways, pool decks, patios, walkways/sidewalks, and any other outdoor application. With our expertise and knowledge, trust Hardscape.com for all of your Marble Paving needs.

# SURFACE AND SIDE FINISHES

## STANDARD SURFACE FINISHES



Sandblasted



Sandblasted and Tumbled



Sandblasted and Antique



Honed and Antique

MORE OPTIONS AVAILABLE CALL 1-888-513-6374

## STANDARD SIDE FINISHES

All finishes can be Tumbled. Does not apply to all stones. Bull nose finish also available.



Cut



Cut and Beveled

# MARBLE PAVER STONES























New Marble Paver Designs Coming Soon

MP-1001: 6X12 Davinci marble antique. MP-1008: Silver-grey Marble Sandblasted. MP-1009: Silver White 6X12 Marble tumbled and sandblasted. MP-1012: Silver White Marble French pattern tumbled and sandblasted. MP-1013: Silver grey 6 X 12 Marble sandblasted and antique. MP-1014: Davinci French Pattern marble. MP-1016: 6 X 12 Silver Grey Marble antique. MP-1017: 8 X 16 Black Marble antique. MP-1018: Silver Grey Marble French Pattern antique. MP-1019: Silvery Grey Marble french pattern sandblasted and antique sealed.

# STANDARD OPTIONS

## STANDARD SIZES AND THICKNESS

Listed below are the standard and most popular sizes and thicknesses. More sizes and thicknesses are available upon request.

SIZES	
4 X 8"	
8 X 8"	
8 X 16"	
12 X 12"	
16 X 16"	
16 X 24"	
24 X 24"	

THICKNESS
3/4"
1"
1-1/8"
1-1/2"
2"
2-3/8"
PATTERNS
FRENCH PATTERN

# STANDARD APPLICATIONS

Marble can be used for a variety of applications, including driveways, pool decks, steps, walkways, and more.

The type of finish will determine if it can be used for interior or exterior purposes.

At Hardscape.com, we help you make the right choice for your next project.



# BLUESTONE



## Custom sizes, colors, finishes and applications are available for all stones.

Bluestone is a popular natural stone that has been longed used by designers, contractors and homeowners to create beautiful and custom spaces. Because of its durability, bluestone makes a great surface for driveways, pool decks, patios, walkways, roads, curbs, and other exterior applications.

For many years, Hardscape.com has been an industry leader in bluestone for constructing outdoor patios, driveways and other outdoor spaces. Variety of finishes are available depending on the application for our beautiful selection of bluestone.

When you select the Hardscape.com Bluestone for your building materials, it will reflect in your space with your investment paying you back for years to come.

# **SURFACE AND SIDE FINISHES**

## STANDARD SURFACE FINISHES



Tumbled



Honed



Sandblasted



sted Antique



Flamed



Flamed and Brushed



Brushed and Hammered



Chiseled

MORE OPTIONS AVAILABLE
CALL 1-888-513-6374

## STANDARD SIDE FINISHES

All finishes can be Tumbled. Does not apply to all stones. Bull nose finish also available.



Cut




Cut and Beveled


# **BLUESTONE PAVER STONES**



















BF-1101: Bluestone French Pattern Honed Finish. BF-1102: Bluestone French pattern tumbled. BF-1103: Bluestone honed. BF-1104: Bluestone sanded. BF-1105: Bluestone antique finish. BF-1106: Bluestone flamed finish. BF-1107: Bluestone flamed and brushed finish. BF-1108: Bluestone brushed hammered finish.

# STANDARD OPTIONS

## STANDARD SIZES AND THICKNESS

Listed below are the standard and most popular sizes and thicknesses. More sizes and thicknesses are available upon request.

SIZES	
4 X 8"	
8 X 8"	
8 X 16"	
12 X 12"	
16 X 16"	
16 X 24"	
24 X 24"	

THICKNESS
3/4"
1"
1-1/8"
1-1/2"
2"
2-3/8"
PATTERNS
FRENCH PATTERN

FRENCH PAI

# STANDARD APPLICATIONS

Bluestone can be used for a variety of applications, including driveways, pool decks, steps, walkways, and more.

The type of finish will determine if it can be used for interior or exterior purposes.

At Hardscape.com, we help you make the right choice for your next project.

Shown as an example

# LIMESTONE

# **SURFACE AND SIDE FINISHES**



## STANDARD SURFACE FINISHES



Flamed/Brushed

MORE OPTIONS AVAILABLE CALL 1-888-513-6374

## Custom sizes, colors, finishes and applications are available for all stones.

Hardscape.com offers an exclusive Limestone, Silver Grey Limestone. Available in any shape, size, thickness with a flamed finish, Hardscape.com will match your specifications for any project.

Silvery Grey Limestone can be used in a variety of applications, such as pool decks, patios, driveways, walkways/sidewalks, curbs, roads, and any other exterior land-scaping design.

As an exclusive dealer of Silver Grey Limestone in the U.S., Hardcape.com will provide knowledge and expertise to accommodate projects large and small.

# STANDARD SIDE FINISHES


All finishes can be Tumbled. Does not apply to all stones. Bull nose finish also available.




Cut

# SILVER GREY LIMESTONE











# LS-1201: Silver Grey Limestone Flamed and Tumbled French Pattern. LS-1202: Silver Grey Limestone. LS-1203: Silver Grey Limestone flamed. LS-1204: Silver Grey Limestone brushed and flamed. LS-1205: Silver Grey Limestone French Pattern.

# STANDARD OPTIONS

## STANDARD SIZES AND THICKNESS

Listed below are the standard and most popular sizes and thicknesses. More sizes and thicknesses are available upon request.

SIZES	
4 X 8"	
8 X 8"	
8 X 16"	
12 X 12"	
16 X 16"	
16 X 24"	
24 X 24"	

THICKNESS			
3/4"			
1"			
1-1/8"			
1-1/2"			
2"			
2-3/8"			
PATTERNS			
EDENCH DATTEDN			

FRENCH PATTERN

## STANDARD APPLICATIONS

Silver Grey Limestone can be used for a variety of applications, including, driveways, pool decks, steps, walkways, and more.

The type of finish will determine if it can be used for interior or exterior purposes.

At Hardscape.com, we help you make the right choice for your next project.



# **PORCELAIN**



# STANDARD OPTIONS

## STANDARD SIZES AND THICKNESS

Listed below are the standard and most popular sizes and thicknesses. More sizes and thicknesses are available upon request.

SIZES	THICKNESS
12 X 24"	3/4"
24 X 24"	
36 X 36"	

MORE OPTIONS AVAILABLE CALL 1-888-513-6374


## Custom sizes, colors, finishes and applications are available for all stones.

As an alternative to natural stones, Hardscape.com offers a wide range of anti-slip Porcelain Pavers designed for pool decks, patios and other walking areas. Due to the Porcelain's versatility, pedestals are widely used for building applications to help with proper drainage as well as great for colder climates.

Available in a number of shapes and sizes, Hardscape.com offers high quality and durable Porcelain Pavers with virtually no maintenance required. Porcelain Pavers can be installed as floating pavers (on sand or gravel) for an aesthetically pleasing look for any project.

APPLICATIONS				
PATIOS	YES			
DRIVEWAYS	NO			
POOL DECKS	YES			
ROADS/ROADWAYS	NO			
WALKWAYS	YES			
STEPS	YES			


# PORCELAIN TILE PAVERS



PR-1301: Cloudy Sky Porcelain Paver. PR-1302: Cloudy Sand Porcelain Paver. PR-1303: Beach Sand Porcelain Paver. PR-1304: Beach Beige Porcelain Paver. PR-1305: Sandstone Porcelain Paver. PR-1306: Desert Black Porcelain Paver. PR-1307: Desert Brown Porcelain Paver. PR-1308: Wood Charcoal Porcelain Paver. PR-1309: Wood Tan Porcelain Paver. PR-1310: Ivory Porcelain Paver. PR-1311: White Grey Porcelain Paver. PR-1312: Black Granite Porcelain Paver. PR-1313: Grey Granite Porcelain Paver.

PR-1314: Old Wood Porcelain Paver. PR-1315: Basaltina Porcelain Paver. PR-1316: Basalt Porcelain Paver.

# **SPECIALTY PRODUCTS**



Custom sizes, colors, finishes and applications are available for all stones.

Hardscape.com offers a wide range of specialty items including, ADA Compliant Pavers, custom made pool coping, porcelain paver drains, custom made curbs and steps and more upon request.


Hardscape.com has the knowledge and expertise to provide the proper stones for your project.



SP-1302: Porcelain Coping and Steps.



SP-1303: Black Granite ADA Pavers.



SP-1304: Dark Grey Granite ADA Paver.

# SPECIALTY PRODUCTS cont.



SP-1305: Porcelain Drain



SP-1306: Porcelain Drain



SP-1307: Silver Grey Limestone Bullnose.



SP-1308: Silver White Marble Coping.



SP-1309: Silver White Marble Bullnose.



# **SPECIFICATIONS**

## **GRANITE SPECIFICATIONS**

TECHNICAL SPECIFICATIONS		TECHNICAL SPECIFICATIONS	
MATERIAL NAME	Salt and Pepper Granite	MATERIAL NAME	Gold Granite
WATER ABSORPTION RATE	0.33	WATER ABSORPTION RATE	0.37
ROCK DENSITY (W.A.)	2.65g/cm3	ROCK DENSITY (W.A.)	2.58g/cm3
COMPRESSIVE STRENGTH	156.6 Mpa	COMPRESSIVE STRENGTH	152.8Mpa
FLEXIBILITY STRENGTH	15.8 Mpa	FLEXIBILITY STRENGTH	11.9 Mpa
ABRASION RESIST HARDNESS 0.84g/cm2		ABRASION RESIST HARDNESS	0.53g/cm2

TECHNICAL SPECIFICATIONS		TECHNICAL SPECIFICATIONS		
MATERIAL NAME	Dark Grey Granite	MATERIAL NAME	Peach Blossom Granite	
WATER ABSORPTION RATE	0.33	ABSORPTION BY WEIGHT	0.43%	
ROCK DENSITY (W.A.)	2.80g/cm3	DENSITY	2.58kg/dm3	
COMPRESSIVE STRENGTH	218.3 Mpa	COMPRESSIVE STRENGTH	127.5Mpa	
FLEXIBILITY STRENGTH	26.6 Mpa	FLEXIBILITY STRENGTH	19.0Mpa	

TECHNICAL SPECIFICATIONS		TECHNICAL SPECIFICATIONS		
MATERIAL NAME Black Granite		MATERIAL NAME	Misty Brown Granite	
WATER ABSORPTION RATE	0.18	ABSORPTION BY WEIGHT	0.31%	
ROCK DENSITY (W.A.)	3.03g/cm3	DENSITY	2.61kg/dm3	
COMPRESSIVE STRENGTH	279-327 Mpa COMPRESSIVE STRENGTH 12		128.5Mpa	
FLEXIBILITY STRENGTH	28.2 Mpa	FLEXIBILITY STRENGTH	12.8Mpa	

## **BLUESTONE SPECIFICATIONS**

TECHNICAL SPECIFICATIONS		
PETROGRAPHIC DATA	sedimentary limestone	
APPARENT MASS VOLUME	2.707,7 kg/m³	
POROSITY	0,29 % in volume	
RESISTANCE TO THE PRESSURE	168,6 N/mm²	
RESISTANCE TO THE FLEXION	16 N/mm²	
RESISTANCE TO THE USURY (AMSLER)	2,35 mm/1000m	

## SILVER GREY LIMESTONE SPECIFICATIONS

PHYSICAL PROPERTY TESTING RESULTS			CHE	MICAL PR	OPERTY A	NALYSIS	RESULTS	(%)			
PRODUCTION	Compressive Strength (MPa)	Flexural Strength (MPa)	Shore Hardness (HSD)	Density (g/cm3)	Water Absorption (%)	SiO2	A1203	CaO	Mg0	Na20	Fe203
LIMESTONE	208	13.5	58	2.65	0.28	2.65	1.05	50	3.5	0.182	0.388

## MARBLE PAVERS SPECIFICATIONS

TECHNICAL SPECIFICATIONS		
DENSITY 2.5-2.90 kgs/cm <sup>3</sup>		
COMPRESSIVE STRENGTH	1,000-3,000 kgs/cm³	
WATER ABSORPTION	<0/10%	
HARDNESS	>HS100	

# SPECIFICATIONS cont.

## PORPHYRY PAVERS SPECIFICATIONS

TECHNICAL SPECIFICATIONS			
ABSORPTION BY WEIGHT (%)	sedimentary limestone		
DENSITY	2.67 kg/dm³		
COMPRESSIVE STRENGTH	167.2 Mpa		
FLEXURAL STRENGTH	21.4 Mpa		

## **BASALT PAVERS SPECIFICATIONS**

TEST ITEMS(S)	TEST METHOD(S)	TEST RESULT(S)
ABSORPTION BY WEIGHT	ASTM C97/C97M-09	0.06%
DENSITY	A31M C977 C97M-09	3000 kg/m³
ABRASION RESISTANCE (SAWN)	ASTM C241/C241M-09	40
	ASTM C99/C99M-09	Dry condition: 15.6 MPa
MODULUS OF RUPTURE	A31M C99/C99M-09	Wet condition: 21.2 MPa
	ASTM C880/C880M-09	Dry condition: 18.3 MPa
FLEXURAL STRENGTH	ASTM COOU/ COOUM-U9	Wet condition: 20.7 MPa
COMPRESSIVE STRENGTH	ASTM C170/C170M-14a	Dry condition: 235 MPa
	A31M C170/C170M-14d	Wet condition: 229 MPa

## PORCELAIN PAVERS SPECIFICATIONS

## APPLICATIONS OF OUTDOOR PORCELAIN TILES

APPLICATIONS	INTERIOR FLOORS	EXTERIOR FLOORS
DOMESTIC PURPOSE	YES	YES
COMMERCIAL AREA	YES	YES
LIGHT COMMERCIAL	YES	YES

## APPLICATIONS OF OUTDOOR PORCELAIN TILES

THICKNESS	20mm
MODULUS OF RUPTURE	Minimum ≥ 35 MPa
STATIC COEFFICIENT OF FRICTION	Dry: 0.87 Wet: 0.59
WATER ABSORPTION	≤ 0.5%
BREAKING STRENGTH	≥ 10200 N

# APPLICATIONS



Black Granite Pavers



Black Granite Walkway



Black Granite Porcelain Stepping Stones



Beach Sand Porcelain Stepping Stones



Wood Tan Porcelain Patio

# APPLICATIONS cont.



Black Granite Porcelain Pool wth Basalt Porcelain Drain



Bluestone Honed



Flamed Black Granite Square Edging Pool



Dark Wood Porcelain Pool



Salt and Pepper Granite

# APPLICATIONS cont.



Black Granite Porcelain Patio




Silver Limestone Pool Deck



Beach Beige Porcelain Pool



Silver White Marble



© 2016 Hardscape.com

Products are subject to availability and may change without notice.

Actual colors may vary. To assure your total satisfaction,
please request samples of the style and color you are interested in.

Please confirm before including in project specifications.

www.Hardscape.com Toll-Free: 1-888-513-6374 Fax: 561-998-0536

E-Mail: Info@Hardscape.com

Office Headquarters: South Florida 6401 E. Rogers Cir Ste #2 Boca Raton, FL 33487

Worldwide Distribution www.HARDSCAPE.com • 1-888-513-6374